



MODULAR RIGGER'S BELT™ 2.0 OPERATOR'S MANUAL

CONTENTS

EQUIPMENT INFORMATION

INTRODUCTION	1
INCLUDED COMPONENTS.....	2

DONNING THE MODULAR RIGGER'S BELT™ 2.0

DONNING THE MRB™ 2.0: CONFIGURATION A.....	5
DONNING THE MRB™ 2.0: CONFIGURATION B	6

DONNING THE MODULAR RIGGER'S BELT™ 2.0

USING ALTERNATIVE BELTS.....	9
INSTALLING A DROP HOLSTER	10

NOTES FOR PROPER USE.....	11
---------------------------	----

INTRODUCTION

Our **MODULAR RIGGER'S BELT™ (MRB™) 2.0** is a lightweight, low-profile belt system that comfortably carries your critical gear and holds up your pants. It's a lot more versatile than a typical rigger's belt and a lot less bulky than a typical load carriage belt. It's configurable in multiple ways to facilitate your unique needs. It helps you move some gear off your vest and onto your hips for less back fatigue. Made in the US from US materials. It's also designed to accept our **LRB™** for load-rated applications.

There are two main ways to configure the system to suit any operational need:

- Keep the **INNER BELT** attached to the **OUTER COVER** for a very stable and integrated set-up.
- Wear the **INNER BELT** as separate low-profile pants belt for quick donning & doffing of your load-out **OUTER COVER / OUTER BELT**

FEATURES

- Multiple pistol mounting options (on **INNER BELT**, on **OUTER COVER** and on **OUTER BELT**).
- **OUTER BELT** can be replaced with our **LRB™** or **RANGE BELT™**.
- Ergonomically shaped for long wearing comfort.
- Extremely light and low bulk.
- MOLLE compatible **OUTER COVER** opens on both sides to accommodate holsters.
- **INNER BELT** functions on its own as a great ultra-low-profile pants belt (no bulky hardware).


INCLUDED COMPONENTS



- ① MRB™ OUTER BELT
- ② MRB™ OUTER COVER
- ③ MRB™ INNER BELT

DONNING THE MODULAR RIGGER'S BELT™ 2.0

DONNING THE MRB™ 2.0: CONFIGURATION A



1A. Before donning, pass the **INNER BELT** through the two loops on the **OUTER COVER** and center it as shown.

1B. Slide **INNER BELT** through pant side belt loops.



Continue to slide the **INNER BELT** through the front pant belt loops. Secure **INNER BELT** webbing onto itself without looping through the metal buckle. Do not fasten the **INNER BELT**.



Wrap the **OUTER COVER** with outer belt around the waist, ensuring that the hook panels of the **OUTER COVER** make proper contact with the loop panels of the **INNER BELT**.



Fasten outer belt buckle. **OUTER BELT** adjustments may be made by tightening or loosening the outer belt webbing.

DONNING THE MRB™ 2.0: CONFIGURATION B



Separate **OUTER COVER** and **OUTER BELT** from **INNER BELT**. Don **INNER BELT** by passing through all pant loops. Pass webbing through metal buckle and securely fasten as shown.



Wrap the **OUTER COVER** with **OUTER BELT** around the waist, ensuring that the hook panels of the outer cover make proper contact with the loop panels of the **INNER BELT**.



Fasten **OUTER BELT** buckle. **OUTER BELT** adjustments may be made by tightening or loosening the **OUTER BELT** webbing.

CONFIGURING THE MODULAR RIGGER'S BELT™ 2.0

CONFIGURING THE MRB™ 2.0: USING ALTERNATIVE BELTS

1



To remove **MRB™ OUTER BELT**, release buckles from **OUTER BELT**. Release snaps on both ends to expose **OUTER BELT** for easy removal. Slide **LRB™** through the sleeve in the **OUTER COVER** until it is completely routed through.

2



Close snaps on both ends of the **OUTER COVER**.

CONFIGURING THE MRB™ 2.0: INSTALLING A DROP HOLSTER



The **OUTER BELT** has openings on each side to accommodate a drop mount or drop-leg holster. Release the snap on one side of the belt to expose the inner belt.



Attach holster to belt.

A - INSTALLING A DROP MOUNT HOLSTER



Configure any height adjustments. Close and snap flap to complete installation.

B - INSTALLING A DROP LEG HOLSTER



Configure any height adjustments. Close and snap flap to complete installation.

NOTES FOR PROPER USE

NOTES FOR PROPER USE

Usage instructions must be read prior to each use.

INSPECTION

- When used in conjunction with the **LRB™**, refer to the **LRB™** manual for notes on proper use, care, and inspection.
- Inspect the bartack to ensure the threads are still intact on the front and back of belt, and they are not burned, and do not show excessive wear from prolonged use.*
- Inspect the entire belt for chemical contamination or excessive UV light exposure. Look for discolored, faded, or degraded components that may indicate exposure to corrosive elements.*
- Inspect the hardware to ensure there are no cracks or burs that could compromise the webbing in high-load situations.*
- If your belt fails inspection, it must be destroyed to prevent further use.
- No points on the **MRB™** are intended for anchor, fall prevention, rappelling, or fall protection.*
- **Failure to comply with the warnings on these pages is likely to result in serious injury or death.***

** Perform inspection before each use*

CARE INSTRUCTIONS

- You can hand wash your belt with mild soap and warm water. Never use bleach as that can degrade the materials. Allow to air dry away from direct sunlight. Do not store damp.
- Always keep your belt away from sharp objects or any other objects that could damage your belt.
- Normal use allows for a 3 year life of this belt. Due to natural degradation of materials, any belt that is 7 years old should be destroyed, even if unused.
- In the event of major fall, the belt should no longer be used.

WARNING

The **MRB™** is **NOT** designed for rappelling, and should **NEVER** be used for rappelling activities! However, the Crye Precision™ **'LRB™'** is engineered to perform the duties of a safety restraint.

DO NOT

- Expose belt to open flame or excessive heat
- Attempt to modify or repair the belt in any way
- Remove label

THIS BELT IS NOT FLAME RESISTANT.

FAILURE TO COMPLY WITH ANY OF THE NOTES FOR PROPER USE OR WARNINGS FOUND ON THESE PAGES WILL RESULT IN BELT FAILURE, WHICH SUCH FAILURE MAY RESULT IN SERIOUS INJURY OR DEATH.

ABOUT US

Crye Precision designs and manufactures truly innovative equipment for America's fighting forces. We are proud and honored to serve our customers' needs. We spend as much time as we can with users, continuously incorporating their experience and feedback into the gear. We give them our full support and are indebted to them for their service and their sacrifice. We make uncompromising gear for uncompromising individuals. We work hard to provide smart, high-performance, long-wearing gear for people who demand the best. We make all of our gear in America from American materials. Every item is designed to help you perform better.

WARRANTY

If a defect in materials or workmanship is found in any of our products, we will repair or replace it, free of charge, for the lifetime of the product. This excludes normal wear and tear. Be aware that the customer is responsible for any and all return shipping charges. This applies to the original purchaser and is nontransferable.

BODY ARMOR

It is against Federal Law for a person convicted of a violent felony to purchase or possess body armor. In addition, various states also have laws restricting the purchase or possession of body armor by persons convicted of certain felonies, other crimes of violence, or drug crimes. By purchasing body armor, you acknowledge and certify that (i) you have no felony convictions, (ii) you have not been convicted of any other crime that would restrict your ability to purchase or possess body armor under any Federal or State law, (iii) you do not intend to use the body armor for any criminal purpose and (iv) you are over 18 years old. Crye Precision reserves the right, in its sole discretion, to refuse to sell body armor to any person. Additionally, the sale of body armor to residents of Connecticut is restricted to in-person sales, unless the sale is made to certain law enforcement or military personnel. We require that all orders of body armor be accompanied by a government issued photo identification.

CONTACT INFO

Crye Precision LLC
Brooklyn Navy Yard
63 Flushing Ave Unit 252
Building 128B
Brooklyn, NY 11205

Phone: 1.718.246.3838
Fax: 1.718.246.3833
sales@cryeprecision.com
www.cryeprecision.com

COPYRIGHT

© 2018 Crye Precision LLC. LRB™, MRB™ and the 'CP' logo are trademarks of Crye Precision LLC.

**SERVING THOSE
WHO PROTECT
FREEDOM™**



CRYE PRECISION.